

1.1,1 UV POOL S Having an automatic pool cover is a great addition that makes covering your pool quick and easy.

We have put together some routine maintenance tips to ensure that your auto cover continues to function properly and lasts for years to come.





Housing and Housing Drain Cleaning

- ◆ Clean leaves and debris from housing box (if applicable) every 3-6 months.
- Run the cover over the pool, prop the housing lid open or remove it, and remove the debris in the housing.
- ◆ On recessed systems, frequently check the drain(s) to be certain they drain the housing box completely and do not allow water to stay in the housing area. If water is allowed to stand in the mechanism area over periods of time, the system may become damaged by the constant moisture.



Mechanism Cleaning

 Clean all rotating & sliding surfaces by spraying with a water hose nozzle every 3 months. This includes the tracks where the cover is guided along.



Cover Cleaning

Your cover should be cleaned annually. The easiest method we found is by using a pressure washer.

- Starting with the cove closed, you pressure wash the first 6'-8' at the mechanism (housing box) end.
- Then retract the cover and wash the next 6'-8' and keep repeating this procedure until the cover is fully retracted and cleaned off.



Pool Liner Care

Clean the pool liner while the water level is low at the start of the season, by cleaning dirt and the "bath tub ring" using a vinyl liner cleaner.

Remember that sharp objects can tear the liner and should be avoided.

Keep away from harsh cleaners as well.



Rodents

In certain areas rodents may nest in the cover housing and chew on the cover and ropes. A common cause of rope breakage is rodent damage, which is not covered under the warranty. Mothballs in a perforated, tamperproof container may help keep rodents under control.



Water Chemistry

We suggest, as most manufacturers do, that you only cover pool water that you would swim in. If the water is out of balance, covering the pool may damage the cover prematurely.

Water that has improper chemical balance may, over the long term, severely shorten the expected life of the fabric. Use a good test kit frequently to maintain proper chemical balance.



Winter Use

Auto covers cannot be used as a winter cover in Winnipeg. You can use a conventional tarp style winter cover or a mesh safety cover which will provide great winter safety protection for your pool.



Warranty

- 3 Year workmanship
- 20 year warranty on Mechanism
- 7 year limited warranty on fabric
 (3 yr. full, 4 yr. pro-rated)
- 7 year limited warranty on Heat Sealed Webbing (3 yr. full, 4 yr. pro-rated)
- 5 year electrical motor warranty including water damage
- 2 year rope warranty with labor credit



